

offices_Gestione.php

```
<html> <head><title>Gestione offices</title></head>
<body>
<?php
include 'conn_classicmodels.php';
include 'cntl_SEL_DML.php';
$tab = "offices";
$sql = "SELECT officeCode, city, country, territory";
$sql .= " FROM $tab ";
$sql .= " ORDER BY territory, city;";
$result = mysqli_query ($conn , $sql);
cntl_num_rows($conn, "estratta", $result, $tab);
?>
<h3> elenco offices ordinati per territorio e citt&agrave;</h3>
<table border="1">
<tr> <th>SCELTA</th> <th>offCode</th> <th>city</th>
    <th>country</th> <th>territory</th> </tr>

<form action ="offices_GestSelez.php" method="post">
<?php
while ( $row = mysqli_fetch_assoc ($result) ) {
    echo "<tr>";
    echo '<td style="text-align:center">';
    echo '<input type="radio" name="selez[]" value=""';
    echo $row["officeCode"]. " checked="checked"></td>';

    echo '<td style="text-align:right">';
    echo $row['officeCode']. " &ampnbsp </td>\n";

    echo "<td>" . $row['city'] . "</td>\n";
    echo "<td>" . $row['country'] . "</td>\n";
    echo "<td>" . $row['territory'] . "</td>\n";
    echo "</tr> \n";
}
mysqli_free_result($result);
mysqli_close($conn);
?>
</table><br>
<table>
<tr>
    <td style="text-align:center"> <input type="submit" name="VIS" value="Visualizza" /></td>
    <td align="center"> <input type="submit" name="UPD" value="Modifica" /></td>
    <td align="center"> <input type="submit" name="DEL" value="Cancella" /></td>
</tr><tr>
    <td><br> officeCode : </td>
    <td><br> <input type="text" name="cod" size="10"> </td>
    <td><br> <input type="submit" name="INS" value="Inserisci" /></td>
</tr></table></form>
<table><br>
<tr><td colspan = "2" style="font-weight:bold">per inserire un nuovo office:</td></tr>
<tr><td> &ampnbsp &ampnbsp </td>
    <td> digitare l'officeCode e premere il tasto Inserisci</td></tr>
<tr><td colspan = "2" style="font-weight:bold">per visualizzare, modificare o cancellare:</td></tr>
<tr><td> &ampnbsp &ampnbsp </td>
    <td> selezionare l'officeCode (colonna SCELTA) e il tasto opportuno</td></tr>
</table></body></html>
```

offices_GestSelez.php

```
<html> <head><title>Gestione Selezione office</title>
<script type="text/JavaScript" src="office_CNTL_INS_UPD.js">
</script>
</head>
<body>
<?php
include 'conn_classicmodels.php';
include 'cntl_SEL_DML.php';

include 'office_gest_VIS.php';
include 'office_gest_DEL.php';
include 'office_gest_UPD.php';
include 'office_gest_INS.php';

if ( isset( $_POST["VIS"] ) )
    $scelta = "VIS";

else
if ( isset( $_POST["DEL"] ) )
    $scelta = "DEL";
else
if( isset( $_POST["UPD"] ) )
    $scelta = "UPD";
else
if( isset( $_POST["INS"] ) )
    $scelta = "INS";
else
    exit ("invio? scelta errata");

if ($scelta == 'INS' || $scelta == 'UPD') {

    $tabSCH = "INFORMATION_SCHEMA.COLUMNS";
    $sqlSCH = "SELECT column_name, is_nullable FROM $tabSCH ";
    $sqlSCH .= "WHERE TABLE_SCHEMA = 'classicmodels' ";
    $sqlSCH .= "AND TABLE_NAME  = 'offices' ";

    $resultSCH = mysqli_query ($conn , $sqlSCH);
    cntl_nRows($conn, "estratta", $resultSCH, $tabSCH);

    while ( $rowSCH = mysqli_fetch_row ($resultSCH) ) {

        if ($rowSCH[1] == "NO")
            $colSCH [$rowSCH[0]] = "OBBL";
        else
            $colSCH [$rowSCH[0]] = "NO";
    }
}
```

```

if ($scelta != 'INS') {
    $selez = $_POST['sez'];
    $codice = $selez[0] ;
}
else

if ($scelta == 'INS') {
    if ( ! isset ( $_POST["cod"] ) 
    ||  $_POST["cod"] == "" )
    exit ($scelta . " cod non impostato");
    else {
        $codice = $_POST["cod"] ;
    }
}
else
    exit ("scelta incongruente");

$tab = "offices";
$sql = "SELECT * FROM $tab WHERE officeCode = $codice; ";

//echo $sql . "<br>";

$result = mysqli_query ($conn , $sql);
$num_rows = mysqli_num_rows ($result);

if( ( $scelta == "DEL"
||  $scelta == "VIS"
||  $scelta == "UPD")
&&  $num_rows == 0  ) {
    echo "$scelta";
    exit (" - nessuna riga trovata per : ". $codice);

} else

if ( $scelta == "INS"
&&  $num_rows > 0    ){
    echo "$scelta";
    exit (" - riga gi&agrave; presente per : ". $codice);
}

switch ($scelta) {
case "VIS" :
    office_VIS ($conn, $result, $scelta, $codice);  break;
case "DEL" :
    office_DEL ($conn, $result, $scelta, $codice);  break;
case "UPD" :
    office_UPD ($conn, $result, $scelta, $codice, $colSCH);  break;
case "INS" :
    office_INS ($conn, $result, $scelta, $codice, $colSCH);  break;
}
?>

```

office_gest_INS.php

```
<?php
function cntl_nRows ($conn , $frase, $result, $tab) {
    if ( ! $result ) { //--- se restituisce false, NOT false = TRUE
        echo "ERRORE MySQL; errorCode : ";
        echo mysqli_errno($conn) . "<br>";
        exit ( mysqli_error($conn) );
    }
}
function office_INS ($conn, $result, $scelta, $codice, $COLSCH) {

    echo "<h3>INSERT office</h3> \n";
    $modulo = "moduloCNTL('INS')";

    $tab = "INFORMATION_SCHEMA.COLUMNS";
    $sql = "SELECT COLUMN_NAME FROM $tab ";
    $sql .= "WHERE TABLE_SCHEMA = 'classicmodels' ";
    $sql .= "AND TABLE_NAME = 'offices' ;";

    $result = mysqli_query ($conn , $sql);
    cntl_nRows($conn, "estratta", $result, $tab);

    echo '<table id="tabEst"><tr>';
    echo '<td id="tdBack"></td>';
    echo '<td valign="bottom">';
    echo '<form action ="offices_Gestione.php" method="post">';
    echo '<input type="submit" name="BACK" value="←"/>';
    echo "</form></td>';

    echo '<td id="tdMod">';
    echo '<form name="modulo" id="modulo" method="post">';

    $id_OB = "OB_";
    echo '<div id="OB_">';
    foreach ( $COLSCH as $col => $valore ) {
        echo '<input type="hidden" name="" . $col . "" id="" . $id_OB . $col . "" value=""';
        echo $valore ."" >';
    }
    echo '</div>';

    echo '<table id="tabInt" border="1">';

    while ( $row = mysqli_fetch_row ($result) ) {

        echo "<tr><td> $row[0] </td><td id=\"tdOB\">" ;

        if ( $row[0] == 'officeCode' ) {
            echo '<input type="text" name="" . $row[0] . "" id="" . $row[0] . "" value=""';
            echo $codice ."" readonly>."</td>\n";
        } else
            echo '<input type="text" name="" . $row[0] . "" id="" . $row[0] . "" />."</td>\n';

        }
        echo '</tr><tr><td colspan = "2" id="tdButton">';
        echo '<div id="divButton">';
        echo '<input type="button" value="CNTL" id="CNTL" onclick="" . $modulo . ""/>';
        echo '<label for="CNTL"> (controllo dati) </label>';
        echo "</div>";
        echo "</td></tr>";
        echo "</table></form>";
        echo '</td></tr></table>';

    }
?>
```

office_gest_UPD.php

```
<?php
function office_UPD ($conn, $result, $scelta, $codice, $COLSCH) {

echo "<h3>UPDATE office</h3> \n";

$modulo = "moduloCNTL('UPD')";

$row = mysqli_fetch_assoc ($result);

echo '<table id="tabEst"><tr>';
echo '<td id="tdBack"></td>';
echo '<td valign="bottom">';
    echo '<form action ="offices_Gestione.php" method="post">';
    echo '<input type="submit" name="BACK" value="←"/>';
    echo "</form></td>";

echo '<td id="tdMod">';
echo '<form name="modulo" id="modulo" method="post">';

$id_OB = "OB_";
echo '<div id="OB_">';

foreach ( $COLSCH as $col => $valore ) {
    echo '<input type="hidden" name="" . $col . "" id="" . $id_OB . $col . "" value=""';
    echo $valore ."'>';
}
echo '</div>';

echo '<table id="tabInt" border="1">';

foreach ($row as $key => $val) {

    echo "<tr><td> $key</td><td>";
    echo '<input type="text" name="" . $key . "" id="" . $key . "" value=""';

    if ($key == "officeCode")
        echo $val ."' readonly>' .</td></tr>\n";
    else
        echo $val ."/>' .</td></tr>\n";
}
echo '<tr><td colspan = "2" id="tdButton">';
echo '<div id="divButton">';
echo '<input type="button" value="CNTL" id="CNTL" onclick="" . $modulo . ""/>';
echo '<label for="CNTL"> (controllo dati) </label>';
echo "</div>";
echo "</td></tr>";
echo "</table></form>';

echo '</td></tr></table>';
}

?>
```

office_gest_VIS.php

```
<?php
function office_VIS ($conn, $result, $scelta, $codice) {

echo "<h3>SELECT office</h3> \n";
echo '<p>';
$row = mysqli_fetch_assoc ($result);

//-----elabora l'unica riga selezionata
echo "<table border=\"1\">\n";
foreach ($row as $key => $val) {

echo "<tr><td> $key";
echo "</td><td>". $val . "</td></tr>\n";

}
echo "</table><br> \n";

echo '<form action ="offices_Gestione.php" method="post">';
echo '<input type="submit" name="Indietro" value="←" /> Indietro'."\n";
echo "</form></p>";
}
?>
```

office_gest_DEL.php

```
<?php
function office_DEL ($conn, $result, $scelta, $codice) {

echo "<h3>DELETE office</h3>";

$row = mysqli_fetch_assoc ($result);

// echo '$codice=' . $codice . "---<br>";

echo '<form action ="offices_DEL.php" method="post">';
echo '<input type="hidden" name="officeCode" value="'. $codice .'" >';
echo "<table border=\"1\">\n";
foreach ($row as $key => $val) {

echo "<tr><td> $key";
echo "</td><td>". $val . "</td></tr>\n";

}
echo "</table><br> \n";
echo '<input type="submit" name="CONF" value="Conferma" /> &nbsp; &nbsp; '."\n";
echo '<input type="submit" name="BACK" value="Annulla" />'."\n";
echo "</form>";
}
?>
```

offices_INS.php

```
<html> <head><title>INSERT office</title></head>
<body>
    <h3>INSERT office</h3>
<?php
include 'conn_classicmodels.php';
include 'cntl_SEL_DML.php';

echo '<p>';
if (isset ($_POST["BACK"])) {
    echo "inserimento Annullato<br>";
    echo '<form action ="offices_Gestione.php">';
}
else { //----$_POST["CONF"]

    $elem = $_POST;
    $count = count($_POST) - 1;
        //----CONTROLLO CAMPI OBBLIGATORI
    $errori = 0;
    foreach ($elem as $key => $val) {
        if ($key != "officeCode"
        && $key != "CONF") {
            if ( $key != "addressLine2"
            && $key != "state" )
                if ( $val == "" ) {
                    echo $key . "<br>";
                    $errori++;
                }
        }
    }
    if ($errori == 0){
        $sql = 'INSERT INTO offices VALUES ( ". $_POST["officeCode"] ."'';

        foreach ($elem as $key => $val) {
            if ($key != "officeCode"
            && $key != "CONF")

                if ((($key == "addressLine2"
                || $key == "state" )
                && $val == "") )
                    $sql .= ', NULL ';
            else
                $sql .= ', "' . $val . "' ";
        }
        $sql .= ");";

        mysqli_query ( $conn , $sql ) ;
            // restituisce false oppure true
        cntl_aff_rows($conn , "inseri");
        mysqli_close ( $conn );

        echo "<br>inserimento effettuato <br><br>";
        echo '<form action ="offices_Gestione.php">';
    }
    else {
        echo " <br>campi obbligatori, non impostati !<br><br>";
        echo "correggere errori <br>";
        echo '<form action ="offices_Gestione.php">';
    }
}
?>
<input type="submit" value="OK" />
</form></p>
```

offices_UPD.php

```
<html> <head><title>UPDATE office</title></head>
<body>
<?php
include 'conn_classicmodels.php';
include 'cntl_SEL_DML.php';
if ( isset( $_POST["BACK"] ) ) {
    echo "<br>modifica Annullata<br><br>";
    echo '<form action ="offices_Gestione.php" >';
}
else { //-----$_POST["CONF"]

    $elem = $_POST;
    $count = count($_POST) - 1;
    //----CONTROLLO CAMPI OBBLIGATORI
    $errori = 0;
    foreach ($elem as $key => $val) {
        if ($key != "officeCode"
        && $key != "CONF") {
            if ( $key != "addressLine2"
            && $key != "state" )
            if ( $val == "" ) {
                echo $key . "<br>";
                $errori++;
            }
        }
    }
    if ($errori == 0){
        $sql = "UPDATE offices SET ";

        foreach ($elem as $key => $val) {
            if ($key != "officeCode"
            && $key != "CONF") {
                if ($key == "city")
                    $sql .= " $key = ";
                else
                    $sql .= ", $key = ";
                if (( $key == "addressLine2"
                || $key == "state" )
                && $val == "" )
                    $sql .= ' NULL ';
                else
                    $sql .= "'". $val . "' ";
            }
        }
        $sql .= ' WHERE officeCode = "' . $_POST["officeCode"] . "' ";
        mysqli_query ( $conn , $sql );
        // restituisce false oppure true
        cntl_aff_rows($conn , "aggiorna");
        mysqli_close ( $conn );

        echo "<br>modifica effettuata <br><br>";
        echo '<form action ="offices_Gestione.php" >';
    }
    else {
        echo " <br>campi obbligatori, non impostati !<br>";
        echo "correggere errori <br><br>";
        echo '<form action ="offices_Gestione.php" >';
    }
}
?>
<input type="submit"  value="OK" />
</form>
```

offices_DEL.php

```
<?php
function office_DEL ($conn, $result, $scelta, $codice) {

echo "<h3>DELETE office</h3>";

$row = mysqli_fetch_assoc ($result);

// echo '$codice=' . $codice . "---<br>";

echo '<form action ="offices_DEL.php" method="post">';

echo '<input type="hidden" name="officeCode" value="'. $codice.'" >';

echo "<table border=\"1\">\n";

foreach ($row as $key => $val) {

echo "<tr><td> $key";
echo "</td><td>". $val . "</td></tr>\n";

}
echo "</table><br> \n";
echo '<input type="submit" name="CONF" value="Conferma" /> &nbsp; &nbsp; : "\n";
echo '<input type="submit" name="BACK" value="Annulla" />.\n';
echo "</form>';

?>
```